A. LANGE & SÖHNE

GLASHÜTTE I/SA

Collection overview 2020

A. LANGE & SÖHNE
GLASHÜTTE I/SA

Discover more about
A. Lange & Söhne on our website:
www.alange-soehne.com

instagram.com/alangesoehne
facebook.com/langesoehne

Contents

4 Watch family overview

16 LANGE 1
18 LITTLE LANGE 1
20 GRAND LANGE 1
22 GRAND LANGE 1 MOON PHASE
24 LANGE 1 DAYMATIC
26 LANGE 1 MOON PHASE
28 LITTLE LANGE 1 MOON PHASE
30 LANGE 1 TIME ZONE
32 LANGE 1 TOURBILLON PERPETUAL CALENDAR

34 ZEITWERK
36 ZEITWERK DATE
38 ZEITWERK STRIKING TIME
40 ZEITWERK MINUTE REPEATER

42 SAXONIA
44 SAXONIA AUTOMATIC
46 SAXONIA OUTSIZE DATE
48 SAXONIA THIN (37 mm)
50 SAXONIA THIN (39 mm)
52 SAXONIA MOON PHASE
54 SAXONIA ANNUAL CALENDAR
56 LANGEMATIK PERPETUAL HONEYGOLD
58 DATOGRAPH UP/DOWN
60 DATOGRAPH PERPETUAL
62 DATOGRAPH PERPETUAL TOURBILLON
64 LANGE 31
66 TRIPLE SPLIT

68 1815
70 1815 UP/DOWN
72 1815 ANNUAL CALENDAR
74 1815 CHRONOGRAPH
76 1815 TOURBILLON
78 1815 RATTRAPANTE PERPETUAL CALENDAR
80 TOURBOGRAPH PERPETUAL “Pour le Mérite”

82 RICHARD LANGE
84 RICHARD LANGE JUMPING SECONDS
86 RICHARD LANGE TOURBILLON “Pour le Mérite”
88 RICHARD LANGE PERPETUAL CALENDAR “Terraluna”

90 ODYSSEUS

Abbreviations

PT Platinum | **PG** Pink gold | **YG** Yellow gold
WG White gold | **HG** Honey gold | **ST** Stainless steel

The legend among Lange timepieces: the LANGE 1 watch family

Model	PT	PG	YG	WG
LANGE 1		191.032	191.021	191.039
LITTLE LANGE 1		181.037 181.837[2]		181.038 181.838[2] 181.039[1.2] 181.839[1.2]
GRAND LANGE 1	117.025	117.032		117.028
GRAND LANGE 1 MOON PHASE	139.025	139.032		
LANGE 1 DAYMATIC		320.032		
LANGE 1 MOON PHASE	192.025	192.032		192.029
LITTLE LANGE 1 MOON PHASE		182.030 182.830		
LANGE 1 TIME ZONE		136.032 ★	136.021 ★[1.2]	136.029 ★
LANGE 1 TOURBILLON PERPETUAL CALENDAR				720.038


★ Debut 2020 [1] Edition [2] Boutique edition



The LANGE 1 is the epitome of Lange watchmaking artistry and builds a bridge between tradition and innovation. With its characteristic dial arrangement, the LANGE 1 wrote a chapter of horological history on its own.

> back to the table of contents

The new era of the mechanical watch: the ZEITWERK watch family



When they developed the ZEITWERK, Lange's master watchmakers questioned everything – except the mechanical transmission. The result is a digital-display watch that no doubt ranks among the most progressive timepieces of our epoch.

Model	PT	PG	WG
ZEITWERK		140.032	140.029
ZEITWERK DATE			148.038
ZEITWERK STRIKING TIME		145.032	145.029
ZEITWERK MINUTE REPEATER	147.025		147.028 ★[1,2]


★ Debut 2020 [1] Edition [2] Boutique edition

> back to the table of contents

Mechanical virtuosity: the SAXONIA watch family

Model	PT	PG	WG	HG
SAXONIA		219.032 219.043	219.026 219.047	
SAXONIA AUTOMATIC		380.033 380.042	380.027 380.044	
SAXONIA OUTSIZE DATE		381.031	381.029	
SAXONIA THIN (37 mm)		201.033	201.027	
SAXONIA THIN (39 mm)			205.086	
SAXONIA MOON PHASE		384.031 384.032	384.026 384.029	
SAXONIA ANNUAL CALENDAR	330.025	330.032	330.026	
LANGEMATIK PERPETUAL HONEYGOLD				310.050[1]
DATOGRAPH UP/DOWN	405.035	405.031		
DATOGRAPH PERPETUAL			410.038	
DATOGRAPH PERPETUAL TOURBILLON	740.036[1]		740.056[1]	
LANGE 31			130.039[1]	
TRIPLE SPLIT			424.038[1]	

[1] Edition



In keeping with Saxony's artisanal traditions, the focus in the development and design of the SAXONIA watch family is always on finding the – technically optimised and aesthetically perfect – mechanical solution.

> back to the table of contents

In the tradition of Ferdinand Adolph Lange: the 1815 watch family

Model	PT	PG	WG
1815		235.032	235.026
1815 UP/DOWN		234.032	234.026
1815 ANNUAL CALENDAR		238.032	238.026
1815 CHRONOGRAPH		414.031 414.032	414.028 414.026[2]
1815 TOURBILLON	730.079[1]	730.032	
1815 RATTRAPANTE PERPETUAL CALENDAR	421.025	421.032	
TOURBOGRAPH PERPETUAL “Pour le Mérite”	706.025[1]		


[1] Edition [2] Boutique edition



With its name, the 1815 watch family refers to the birth year of F. A. Lange, the founder of German precision watchmaking. It incorporates pivotal features of his historic pocket watches and gives them a contemporary allure.

> back to the table of contents

The fine observation watch: the RICHARD LANGE watch family




Model	PG	WG
RICHARD LANGE	232.032	232.026[2]
RICHARD LANGE JUMPING SECONDS		252.029
RICHARD LANGE TOURBILLON “Pour le Mérite”	760.032	760.026[2]
RICHARD LANGE PERPETUAL CALENDAR “Terraluna”	180.032	180.026

[2] Boutique edition

Every facet of the RICHARD LANGE watch family follows two key objectives: ultimate precision and superb legibility. With these assets, it pays tribute to the legendary observation watches whose precision met the highest scientific standards.

> back to the table of contents

A class of its own:
the ODYSSEUS watch family



Model	ST	WG
ODYSSEUS	363.179	363.038 ★ 363.068 ★

★ Debut 2020

Thanks to its robust construction and water-resistant case the ODYSSEUS can even be worn in situations when a precision mechanical model would ordinarily be set aside. In the elegant sports watch category, the newly developed self-winding movement is without peer.

> back to the table of contents

LANGE 1

Functions
– Off-centre time indication for hours and minutes
– Subsidiary seconds dial with stop seconds
– Instantaneously advancing outsize date
– UP/DOWN power-reserve indicator
– 72 hours power reserve

Calibre L121.1
– Manually wound
– Twin mainspring barrel
– Lange balance spring, balance wheel with eccentric poising weights
– 368 parts, 43 jewels (8 of which in screwed gold chatons)

Case dimensions: Ø 38.5 mm, h 9.8 mm
Movement dimensions: Ø 30.6 mm, h 5.7 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
191.032	pink gold	argenté	reddish-brown
191.021	yellow gold	champagne	middle-brown
191.039	white gold	argenté	black

> back to the table of contents

LITTLE LANGE 1

Functions
– Off-centre time indication for hours and minutes
– Subsidiary seconds dial with stop seconds
– Instantaneously advancing outsize date
– UP/DOWN power-reserve indicator
– 72 hours power reserve

Calibre L121.1
– Manually wound
– Twin mainspring barrel
– Lange balance spring, balance wheel with eccentric poising weights
– 368 parts, 43 jewels (8 of which in screwed gold chatons)

Case dimensions: Ø 36.8 mm, h 9.5 mm
Movement dimensions: Ø 30.6 mm, h 5.7 mm
Strap width at the case/buckle: 19/16 mm
Leather strap with prong buckle

Reference	Case	Dial	Strap	Edition
181.037	pink gold	brown**	taupe (dark)	
181.837	pink gold*	brown**	taupe (dark)	BTQ
181.038	white gold	grey**	light-grey	
181.838	white gold*	grey**	light-grey	BTQ
181.039	white gold	purple**	purple	BTQ/100
181.839	white gold*	purple**	purple	BTQ/100

*Bezel with 56 brilliant-cut diamonds, approx. 1.4 carats
**Solid-gold dial, guilloched BTQ Boutique edition



> back to the table of contents

GRAND LANGE 1

Functions
– Off-centre time indication for hours and minutes
– Subsidiary seconds dial with stop seconds
– Outsize date
– UP/DOWN power-reserve indicator
– 72 hours power reserve

Calibre L095.1
– Manually wound
– Lange balance spring, screw balance
– 397 parts, 42 jewels (7 of which in screwed gold chatons)

Case dimensions: Ø 41.0 mm, h 8.8 mm
Movement dimensions: Ø 34.1 mm, h 4.7 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
117.025	platinum	rhodié	black
117.032	pink gold	argenté	reddish-brown
117.028	white gold	black	black

> back to the table of contents

GRAND LANGE 1 MOON PHASE

Functions
– Off-centre time indication for hours and minutes
– Subsidiary seconds dial with stop seconds
– Outsize date
– Continuously driven moon-phase display, requires a one-day correction only after 122.6 years
– UP/DOWN power-reserve indicator
– 72 hours power reserve

Calibre L095.3
– Manually wound
– Lange balance spring, screw balance
– 446 parts, 45 jewels (7 of which in screwed gold chatons)
– Solid-gold lunar disc

Case dimensions: Ø 41.0 mm, h 9.5 mm
Movement dimensions: Ø 34.1 mm, h 4.7 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
139.025	platinum	rhodié	black
139.032	pink gold	argenté	reddish-brown

> back to the table of contents

LANGE 1 DAYMATIC

Functions
– Off-centre time indication for hours and minutes
– Subsidiary seconds dial with stop seconds
– Outsize date
– Retrograde day-of-week display
– 50 hours power reserve

Calibre L021.1
– Self-winding mechanism
– Central rotor with centrifugal mass in platinum
– Lange balance spring, balance wheel with eccentric poising weights
– 426 parts, 67 jewels (7 of which in screwed gold chatons)

Case dimensions: Ø 39.5 mm, h 10.4 mm
Movement dimensions: Ø 31.6 mm, h 6.1 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
320.032	pink gold	argenté	reddish-brown

> back to the table of contents

LANGE 1 MOON PHASE

Functions
– Off-centre time indication for hours and minutes
– Subsidiary seconds dial with stop seconds
– Continuously driven moon-phase display, requires a one-day correction only after 122.6 years; with integrated day/night indicator
– Instantaneously advancing outsize date
– UP/DOWN power-reserve indicator
– 72 hours power reserve

Calibre L121.3
– Manually wound
– Twin mainspring barrel
– Lange balance spring, balance wheel with eccentric poising weights
– 438 parts, 47 jewels (8 of which in screwed gold chatons)
– Solid-gold celestial disc and moon segment

Case dimensions: Ø 38.5 mm, h 10.2 mm
Movement dimensions: Ø 30.6 mm, h 5.7 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
192.025	platinum	rhodié	black
192.032	pink gold	argenté	reddish-brown
192.029	white gold	black	black

> back to the table of contents

LITTLE LANGE 1 MOON PHASE

Functions
– Off-centre time indication for hours and minutes
– Subsidiary seconds dial with stop seconds
– Continuously driven moon-phase display, requires a one-day correction only after 122.6 years
– Instantaneously advancing outsize date
– UP/DOWN power-reserve indicator
– 72 hours power reserve

Calibre L121.2
– Manually wound
– Twin mainspring barrel
– Lange balance spring, balance wheel with eccentric poising weights
– 411 parts, 44 jewels (8 of which in screwed gold chatons)
– Solid-gold lunar disc

Case dimensions: Ø 36.8 mm, h 9.5 mm
Movement dimensions: Ø 30.6 mm, h 5.7 mm
Strap width at the case/buckle: 19/16 mm
Leather strap with prong buckle



Reference	Case	Dial	Strap
182.030	pink gold	argenté**	white
182.830	pink gold*	argenté**	white

*Bezel with 56 brilliant-cut diamonds, approx. 1.4 carats
**Solid-gold dial, guilloched

> back to the table of contents

LANGE 1 TIME ZONE

Functions
– Off-centre time indication for hours and minutes
– Home time coupled with outsize date
– Zone time in hours and minutes with city ring and indication of daylight-saving time
– Separate day/night indicators for home and zone time
– Subsidiary seconds dial with stop seconds
– UP/DOWN power-reserve indicator
– 72 hours power reserve

Calibre L141.1
– Manually wound
– Screw balance
– 448 parts, 38 jewels (3 of which in screwed gold chatons)
– Visibly positioned wheel train that drives the zone-time indication

Case dimensions: Ø 41.9 mm, h 10.9 mm
Movement dimensions: Ø 34.1 mm, h 6.7 mm
Strap width at the case/buckle: 22/18 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap	Edition
136.032 ★	pink gold	argenté	reddish-brown	
136.021 ★	yellow gold	champagne	middle-brown	BTQ/100
136.029 ★	white gold	black	dark-brown	

★ Debut 2020 BTQ Boutique edition

> back to the table of contents

LANGE 1 TOURBILLON PERPETUAL CALENDAR

Functions

– Off-centre time indication for hours and minutes
– One-minute tourbillon with patented stop seconds for subsidiary seconds
– Perpetual calendar with instantaneously advancing displays for outsize date, day of week, month, and leap year
– Moon-phase display, requires a one-day correction only after 122.6 years
– Day/night indicator
– 50 hours power reserve

Calibre L082.1

– Self-winding mechanism
– Central rotor with centrifugal mass in platinum
– Lange balance spring, balance wheel with eccentric poising weights
– 624 parts, 75 jewels and 1 diamond endstone (6 of which in screwed gold chatons)
– Solid-gold lunar disc

Case dimensions: Ø 41.9 mm, h 12.2 mm
Movement dimensions: Ø 34.1 mm, h 7.8 mm
Strap width at the case/buckle: 22/18 mm
Hand-stitched leather strap with deployant buckle



Reference	Case	Dial	Strap
720.038	white gold	grey	black

> back to the table of contents

ZEITWERK

Functions
– Hours and minutes in a jumping numerals display
– Subsidiary seconds dial with stop seconds
– UP/DOWN power-reserve indicator
– 36 hours power reserve

Calibre L043.1
– Manually wound
– Lange balance spring, balance wheel with eccentric poising weights
– Constant-force escapement
– 415 parts, 68 jewels (2 of which in screwed gold chatons)

Case dimensions: Ø 41.9 mm, h 12.6 mm
Movement dimensions: Ø 33.6 mm, h 9.3 mm
Strap width at the case/buckle: 20/18 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
140.032	pink gold	argenté	reddish-brown
140.029	white gold	black	black

> back to the table of contents

ZEITWERK DATE

Functions
– Hours and minutes in a jumping numerals display
– Subsidiary seconds dial with stop seconds
– Precisely switching ring date
– UP/DOWN power-reserve indicator
– 72 hours power reserve

Calibre L043.8
– Manually wound
– Lange balance spring, balance wheel with eccentric poising weights
– Constant-force escapement
– 516 parts, 70 jewels (2 of which in screwed gold chatons)

Case dimensions: Ø 44.2 mm, h 12.3 mm
Movement dimensions: Ø 37.0 mm, h 8.9 mm
Strap width at the case/buckle: 21/18 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
148.038	white gold	grey	dark-brown

> back to the table of contents

ZEITWERK STRIKING TIME

Functions

– Hours and minutes in a jumping numerals display
– Visibly configured striking mechanism with a high-pitched tone for every quarter-hour and a low-pitched tone for every full hour
– Button for activating and deactivating the striking mechanism
– Subsidiary seconds dial with stop seconds
– UP/DOWN power-reserve indicator
– 36 hours power reserve

Calibre L043.2

– Manually wound
– Lange balance spring, balance wheel with eccentric poising weights
– Constant-force escapement
– 528 parts, 78 jewels (2 of which in screwed gold chatons)

Case dimensions: Ø 44.2 mm, h 13.1 mm
Movement dimensions: Ø 36.0 mm, h 10.0 mm
Strap width at the case/buckle: 21/18 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
145.032	pink gold	argenté	reddish-brown
145.029	white gold	black	black

> back to the table of contents

ZEITWERK MINUTE REPEATER

Functions

– Hours and minutes in a jumping numerals display
– Decimal minute repeater with a high-pitched tone for every minute, a double tone for every ten-minute interval and a low-pitched tone for every full hour
– Button for activating the decimal minute repeater
– Subsidiary seconds dial with stop seconds
– UP/DOWN power-reserve indicator
– 36 hours power reserve

Calibre L043.5

– Manually wound
– Lange balance spring, balance wheel with eccentric poising weights
– Constant-force escapement
– 771 parts, 93 jewels (3 of which in screwed gold chatons)

Case dimensions: Ø 44.2 mm, h 14.1 mm
Movement dimensions: Ø 37.7 mm, h 10.9 mm
Strap width at the case/buckle: 21/18 mm
Hand-stitched leather strap with deployant buckle



Reference	Case	Dial	Strap	Edition
147.025	platinum	rhodié	black	
147.028 ★	white gold	deep-blue	blue	BTQ/30

★ Debut 2020 BTQ Boutique edition

> back to the table of contents

SAXONIA

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– 45 hours power reserve

Calibre L941.1
– Manually wound
– Screw balance
– 164 parts, 21 jewels (4 of which in screwed gold chatons)

Case dimensions: Ø 35.0 mm, h 7.3 mm
Movement dimensions: Ø 25.6 mm, h 3.2 mm
Strap width at the case/buckle: 18/16 mm
Hand-stitched (with the exception of ref. 219.043 and 219.047)
Leather strap with prong buckle



Reference	Case	Dial	Strap
219.032	pink gold	argenté	reddish-brown
219.026	white gold	argenté	black
219.043	pink gold	white*	light-grey
219.047	white gold	white*	white

*Faced with natural mother-of-pearl

> back to the table of contents

SAXONIA AUTOMATIC

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– 72 hours power reserve

Calibre L086.1
– Self-winding mechanism
– Central rotor with centrifugal mass in platinum
– Lange balance spring, screw balance
– 209 parts, 31 jewels

Case dimensions: Ø 38.5 mm, h 7.8 mm
Movement dimensions: Ø 30.4 mm, h 3.7 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
380.033	pink gold	argenté	reddish-brown
380.027	white gold	argenté	black
380.042	pink gold	terra-brown	reddish-brown
380.044	white gold	terra-brown	dark-brown

> back to the table of contents

SAXONIA OUTSIZE DATE

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– Outsize date
– 72 hours power reserve

Calibre L086.8
– Self-winding mechanism
– Central rotor with centrifugal mass in platinum
– Lange balance spring, screw balance
– 286 parts, 40 jewels

Case dimensions: Ø 38.5 mm, h 9.6 mm
Movement dimensions: Ø 30.4 mm, h 5.2 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
381.031	pink gold	black	black
381.029	white gold	black	black

> back to the table of contents

SAXONIA THIN (37 mm)

Functions
– Hours and minutes
– 72 hours power reserve

Calibre L093.1
– Manually wound
– Lange balance spring, screw balance
– 167 parts, 21 jewels (3 of which in screwed gold chatons)

Case dimensions: Ø 37.0 mm, h 5.9 mm
Movement dimensions: Ø 28.0 mm, h 2.9 mm
Strap width at the case/buckle: 19/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
201.033	pink gold	argenté	reddish-brown
201.027	white gold	argenté	black

> back to the table of contents

SAXONIA THIN (39 mm)

Functions
– Hours and minutes
– 72 hours power reserve

Calibre L093.1
– Manually wound
– Lange balance spring, screw balance
– 167 parts, 21 jewels (3 of which in screwed gold chatons)

Case dimensions: Ø 39.0 mm, h 6.2 mm
Movement dimensions: Ø 28.0 mm, h 2.9 mm
Strap width at the case/buckle: 20/16 mm
Leather strap with prong buckle



Reference	Case	Dial	Strap
205.086	white gold	copper-blue*	dark-blue

*Faced with goldstone

> back to the table of contents

SAXONIA MOON PHASE

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– Continuously driven moon-phase display, requires a one-day correction only after 122.6 years
– Outsize date
– 72 hours power reserve

Calibre L086.5
– Self-winding mechanism
– Central rotor with centrifugal mass in platinum
– Lange balance spring, screw balance
– 325 parts, 40 jewels
– Solid-gold lunar disc

Case dimensions: Ø 40.0 mm, h 9.8 mm
Movement dimensions: Ø 30.4 mm, h 5.2 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
384.031	pink gold	black	black
384.032	pink gold	argenté	reddish-brown
384.026	white gold	argenté	black
384.029	white gold	black	black

> back to the table of contents

SAXONIA ANNUAL CALENDAR

Functions
– Hours, minutes and subsidiary seconds dial
– Patented ZERO-RESET mechanism
– Annual calendar with outsize date, day-of-week, and month display
– Moon-phase display, requires a one-day correction only after 122.6 years
– 46 hours power reserve

Calibre L085.1 SAX-0-MAT
– Self-winding mechanism
– Bidirectional three-quarter rotor with centrifugal mass in platinum
– Screw balance
– 476 parts, 43 jewels
– Solid-gold lunar disc

Case dimensions: Ø 38.5 mm, h 9.8 mm
Movement dimensions: Ø 30.4 mm, h 5.4 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
330.025	platinum	rhodié	black
330.032	pink gold	argenté	dark-brown
330.026	white gold	argenté	dark-brown

> back to the table of contents

LANGEMATIK PERPETUAL HONEYGOLD

Functions

– Hours, minutes and subsidiary seconds dial
– Patented ZERO-RESET mechanism
– Perpetual calendar with outsize date, day-of-week, month, and leap-year display
– Moon-phase display, requires a one-day correction only after 122.6 years
– 24-hour display with day/night indicator
– 46 hours power reserve

Calibre L922.1 SAX-0-MAT

– Self-winding mechanism
– Bidirectional three-quarter rotor with centrifugal mass in platinum
– Screw balance
– 478 parts, 43 jewels
– Solid-gold lunar disc

Case dimensions: Ø 38.5 mm, h 10.2 mm
Movement dimensions: Ø 30.4 mm, h 5.7 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap	Edition
310.050	honey gold	argenté	dark-brown	100

> back to the table of contents

DATOGRAPH UP/DOWN

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– Chronograph with flyback and precisely jumping minute counter
– Outsize date
– Tachometer scale
– UP/DOWN power reserve indicator
– 60 hours power reserve

Calibre L951.6
– Manually wound
– Lange balance spring, balance wheel with eccentric poising weights
– 451 parts, 46 jewels (4 of which in screwed gold chatons)

Case dimensions: Ø 41.0 mm, h 13.1 mm
Movement dimensions: Ø 30.6 mm, h 7.9 mm
Strap width at the case/buckle: 20/18 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
405.035	platinum	black/argenté	blue-grey, grey seam
405.031	pink gold	black/argenté	reddish-brown

> back to the table of contents

DATOGRAPH PERPETUAL

Functions
- Hours and minutes
- Subsidiary seconds dial with stop seconds
- Chronograph with flyback and precisely jumping minute counter
- Perpetual calendar with outsize date, day-of-week, month, and leap-year display
- Moon-phase display, requires a one-day correction only after 122.6 years
- Day/night indicator
- Tachometer scale
- 36 hours power reserve

Calibre L952.1
- Manually wound
- Lange balance spring, balance wheel with eccentric poising weights
- 556 parts, 45 jewels (4 of which in screwed gold chatons)
- Solid-gold lunar disc

Case dimensions: Ø 41.0 mm, h 13.5 mm
Movement dimensions: Ø 32.0 mm, h 8.0 mm
Strap width at the case/buckle: 20/18 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
410.038	white gold	grey/rhodié	black

> back to the table of contents

DATOGRAPH PERPETUAL TOURBILLON

Functions
- Hours and minutes
- One-minute tourbillon with patented stop seconds
- Chronograph with flyback and precisely jumping minute counter
- Perpetual calendar with instantaneously advancing displays
- Moon-phase display, requires a one-day correction only after 122.6 years
- Day/night indicator
- Tachometer scale
- UP/DOWN power-reserve indicator
- 50 hours power reserve

Calibre L952.2
- Manually wound
- Lange balance spring, balance wheel with eccentric poising weights
- 729 parts, 58 jewels and 1 diamond endstone (5 of which in screwed gold chatons)
- Solid-gold lunar disc

Case dimensions: Ø 41.5 mm, h 14.6 mm
Movement dimensions: Ø 32.6 mm, h 9.0 mm
Strap width at the case/buckle: 20/18 mm
Hand-stitched leather strap with deployant buckle



Reference	Case	Dial	Strap	Edition
740.036	platinum	black	black	100
740.056	white gold	pink gold	dark-brown	100

> back to the table of contents

LANGE 31

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– Outsize date
– Power-reserve indicator
– 31 days power reserve

Calibre L034.1
– Key-operated winding works
– Twin mainspring barrel
– Screw balance
– Constant-force escapement
– 406 parts, 62 jewels (3 of which in screwed gold chatons)

Case dimensions: Ø 45.9 mm, h 15.9 mm
Movement dimensions: Ø 37.3 mm, h 9.6 mm
Strap width at the case/buckle: 22/18 mm
Hand-stitched leather strap with deployant buckle



Reference	Case	Dial	Strap	Edition
130.039	white gold	grey	dark-brown	100

> back to the table of contents

TRIPLE SPLIT

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– Flyback chronograph with triple rattrapante (seconds/minutes/hours) and precisely jumping chrono and rattrapante minute counter
– Tachometer scale
– UP/DOWN power-reserve indicator
– 55 hours power reserve

Calibre L132.1
– Manually wound
– Lange balance spring, balance wheel with eccentric poising weights
– 567 parts, 46 jewels (5 of which in screwed gold chatons)

Case dimensions: Ø 43.2 mm, h 15.6 mm
Movement dimensions: Ø 30.6 mm, h 9.4 mm
Strap width at the case/buckle: 22/18 mm
Hand-stitched leather strap with deployant buckle



Reference	Case	Dial	Strap	Edition
424.038	white gold	grey/argenté	black, grey seam	100

> back to the table of contents

1815

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– 55 hours power reserve

Calibre L051.1
– Manually wound
– Screw balance
– 188 parts, 23 jewels (5 of which in screwed gold chatons)

Case dimensions: Ø 38.5 mm, h 8.8 mm
Movement dimensions: Ø 30.6 mm, h 4.6 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
235.032	pink gold	argenté	reddish-brown
235.026	white gold	argenté	black

> back to the table of contents

1815 UP/DOWN

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– UP/DOWN power-reserve indicator
– 72 hours power reserve

Calibre L051.2
– Manually wound
– Screw balance
– 245 parts, 29 jewels (7 of which in screwed gold chatons)

Case dimensions: Ø 39.0 mm, h 8.7 mm
Movement dimensions: Ø 30.6 mm, h 4.6 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
234.032	pink gold	argenté	reddish-brown
234.026	white gold	argenté	black

> back to the table of contents

1815 ANNUAL CALENDAR

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– Annual calendar with date, day-of-week, and month display
– Moon-phase display, requires a one-day correction only after 122.6 years
– 72 hours power reserve

Calibre L051.3
– Manually wound
– Lange balance spring, screw balance
– 345 parts, 26 jewels (3 of which in screwed gold chatons)
– Solid-gold lunar disc

Case dimensions: Ø 40.0 mm, h 10.1 mm
Movement dimensions: Ø 30.6 mm, h 5.7 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
238.032	pink gold	argenté	reddish-brown
238.026	white gold	argenté	black

> back to the table of contents

1815 CHRONOGRAPH

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– Chronograph with flyback and precisely jumping minute counter
– Scale for pulse rate measurements
– 60 hours power reserve

Calibre L951.5
– Manually wound
– Lange balance spring, balance wheel with eccentric poising weights
– 306 parts, 34 jewels (4 of which in screwed gold chatons)

Case dimensions: Ø 39.5 mm, h 11.0 mm
Movement dimensions: Ø 30.6 mm, h 6.1 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap	Edition
414.031	pink gold	black	black	
414.032	pink gold	argenté	reddish-brown	
414.028	white gold	black	black	
414.026	white gold	argenté	dark-blue	BTQ

BTQ Boutique edition

> back to the table of contents

1815 TOURBILLON

Functions
– Hours and minutes
– One-minute tourbillon with patented stop seconds for subsidiary seconds
– Patented ZERO-RESET mechanism
– 72 hours power reserve

Calibre L102.1
– Manually wound
– Lange balance spring, screw balance
– 262 parts, 20 jewels and 1 diamond endstone (4 of which in screwed gold chatons)

Case dimensions: Ø 39.5 mm, h 11.1 mm (ref. 730.032) and h 11.3 mm (ref. 730.079)
Movement dimensions: Ø 32.6 mm, h 6.6 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with deployant buckle



Reference	Case	Dial	Strap	Edition
730.079	platinum	copper*	black	100
730.032	pink gold	argenté	reddish-brown	

*White enamelled

> back to the table of contents

1815 RATTRAPANTE PERPETUAL CALENDAR

Functions

– Hours and minutes
– Subsidiary seconds dial with stop seconds
– Rattrapante chronograph
– Perpetual calendar with date, day-of-week, month, and leap-year display
– Moon-phase display, requires a one-day correction only after 122.6 years
– UP/DOWN power-reserve indicator
– 42 hours power reserve

Calibre L101.1

– Manually wound
– Lange balance spring, screw balance
– 631 parts, 43 jewels (4 of which in screwed gold chatons)
– Solid-gold lunar disc

Case dimensions: Ø 41.9 mm, h 14.7 mm
Movement dimensions: Ø 32.6 mm, h 9.1 mm
Strap width at the case/buckle: 20/18 mm
Hand-stitched leather strap with deployant buckle



Reference	Case	Dial	Strap
421.025	platinum	argenté	black
421.032	pink gold	argenté	reddish-brown

> back to the table of contents

TOURBOGRAPH PERPETUAL “Pour le Mérite”

Functions
– Hours and minutes
– One-minute tourbillon
– Rattrapante chronograph
– Perpetual calendar with date, day-of-week, month, and leap-year display
– Moon-phase display, requires a one-day correction only after 122.6 years
– 36 hours power reserve

Calibre L133.1
– Manually wound
– Fusée-and-chain transmission
– Lange balance spring, screw balance
– 684 parts, including the chain which consists of 636 parts
– 52 jewels and 2 diamond endstones (6 of which in screwed gold chatons)
– Solid-gold lunar disc

Case dimensions: Ø 43.0 mm, h 16.6 mm
Movement dimensions: Ø 32.0 mm, h 10.9 mm
Strap width at the case/buckle: 22/18 mm
Hand-stitched leather strap with deployant buckle



Reference	Case	Dial	Strap	Edition
706.025	platinum	argenté	black	50

> back to the table of contents

Functions
– Hours and minutes
– Sweep seconds with stop seconds
– 38 hours power reserve

Calibre L041.2
– Manually wound
– Lange balance spring, balance wheel with eccentric poising weights
– 199 parts, 26 jewels (2 of which in screwed gold chatons)

Case dimensions: Ø 40.5 mm, h 10.5 mm
Movement dimensions: Ø 30.6 mm, h 6.0 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap	Edition
232.032	pink gold	argenté	reddish-brown	
232.026	white gold	argenté	black	BTQ

BTQ Boutique edition

> back to the table of contents

RICHARD LANGE JUMPING SECONDS

Functions

– Regulator dial with large jumping seconds, subsidiary minutes and subsidiary hours
– Patented ZERO-RESET mechanism
– End-of-power indication when the remaining power reserve is less than 10 hours
– 42 hours power reserve

Calibre L094.1

– Manually wound
– Lange balance spring, balance wheel with eccentric poising weights
– Constant-force escapement
– 390 parts, 50 jewels (8 of which in screwed gold chatons)

Case dimensions: Ø 39.9 mm, h 10.6 mm
Movement dimensions: Ø 33.6 mm, h 6.0 mm
Strap width at the case/buckle: 20/16 mm
Hand-stitched leather strap with prong buckle



Reference	Case	Dial	Strap
252.029	white gold	black	black

> back to the table of contents

RICHARD LANGE TOURBILLON
“Pour le Mérite”

Functions
– Regulator dial with large minutes
– Subsidiary hours with pivoting dial segment
– One-minute tourbillon with patented stop seconds for subsidiary seconds
– 36 hours power reserve

Calibre L072.1
– Manually wound
– Fusée-and-chain transmission
– Lange balance spring, screw balance
– 352 parts, including the chain which consists of 636 parts
– 31 jewels and 1 diamond endstone (4 of which in screwed gold chatons)

Case dimensions: Ø 41.9 mm, h 12.2 mm
Movement dimensions: Ø 33.6 mm, h 7.6 mm
Strap width at the case/buckle: 22/18 mm
Hand-stitched leather strap with deployant buckle



Reference	Case	Dial	Strap	Edition
760.032	pink gold	argenté	reddish-brown	
760.026	white gold	argenté	black	BTQ

BTQ Boutique edition

> back to the table of contents

RICHARD LANGE PERPETUAL CALENDAR “Terraluna”

Functions

– Regulator dial with large minutes, subsidiary hours and subsidiary seconds dial with stop seconds
– Perpetual calendar with instantaneously advancing displays for outsize date, day of week, month, and leap year
– Patented orbital moon-phase display, requires a one-day correction only after 1058 years; with day/night indicator for the northern hemisphere
– Power-reserve indicator
– 14 days power reserve

Calibre L096.1

– Manually wound
– Twin mainspring barrel
– Lange balance spring, screw balance
– Constant-force escapement
– 787 parts, 80 jewels (2 of which in screwed gold chatons)
– Solid-gold lunar, earth and celestial disc

Case dimensions: Ø 45.5 mm, h 16.5 mm
Movement dimensions: Ø 37.3 mm, h 11.1 mm
Strap width at the case/buckle: 22/18 mm
Hand-stitched leather strap with deployant buckle

Reference	Case	Dial	Strap
180.032	pink gold	argenté	reddish-brown
180.026	white gold	argenté	black



> back to the table of contents

ODYSSEUS

Functions
– Hours and minutes
– Subsidiary seconds dial with stop seconds
– Outsize date
– Day-of-week display
– 50 hours power reserve
– Water-resistant case (12 bar)

Calibre L155.1 DATOMATIC
– Self-winding mechanism
– Central rotor with centrifugal mass in platinum
– Lange balance spring, shock-resistant balance with 4 poising screws
– Frequency of 28,800 semi-oscillations per hour
– 312 parts, 31 jewels (1 of which in screwed gold chaton)
– Hand-engraved balance bridge

Case dimensions: Ø 40.5 mm, h 11.1 mm
Movement dimensions: Ø 32.9 mm, h 6.2 mm
Strap width at the case/buckle: 26/19 mm
Stainless-steel deployant buckle (ref. 363.179).
Solid-gold prong buckle (ref. 363.038 and 363.068).

Reference	Case	Dial	Strap
363.179	stainless steel	deep-blue	stainless steel
363.038 ★	white gold	grey	leather, dark-brown with grey seam
363.068 ★	white gold	grey	rubber, black

★ Debut 2020



> back to the table of contents

© 2020 Lange Uhren GmbH
Ferdinand-A.-Lange-Platz 1
01768 Glashütte, Germany
www.alange-soehne.com

Edition 2020
Technical data and availability
of models subject to change.

Made in Germany

A. LANGE & SÖHNE

GLASHÜTTE I/SA